

Georgia Department of Community Affairs
Community HOME Investment Program
HOMEOWNER RECEIPT OF LEAD-BASED PAINT PAMPHLET AND REPORTS

DCA Project #: _____
Homeowner Name(s): _____
Address: _____

I have received the pamphlet “**PROTECT YOUR FAMILY FROM LEAD IN YOUR HOME**” informing me of the potential risk of lead hazard exposure from renovation activity to be performed on my dwelling unit. I read this pamphlet and understand the information.

Homeowner Borrower Signature: _____ Date: _____
Homeowner Co-Borrower Signature: _____ Date: _____

POST REHABILITATION

Check Each Applicable:

- I have received the Inspection and/or Risk Assessment Report completed for my property.
- Not Applicable -
 - Property found not to have lead-based paint
 - All lead-based paint previously abated
 - Rehabilitation did not disturb painted surfaces

- I have received a copy of the work write up for lead hazard control for my property.
- Not Applicable -
 - Property found not to have lead-based paint
 - All lead-based paint previously abated
 - Rehabilitation did not disturb painted surfaces

- I have received the clearance report (including the lead hazard reduction scope of work) for my property.
- Not Applicable -
 - Property found not to have lead-based paint
 - All lead-based paint previously abated
 - Rehabilitation did not disturb painted surfaces

Homeowner Borrower Signature: _____ Date: _____

Homeowner Co-Borrower Signature: _____ Date: _____